

Safety Data Sheet

Revision Date 14-Jul-2015

Version 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product code 4650AU

Product name AU BROWN TOUCH UP MARKERS 3 PACK

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Ink and toners

1.3. Details of the supplier of the safety data sheet

See section 16 for more information

The Valspar (Australia) Corporation Pty. Ltd. 203 Power Street Glendenning, New South Wales 2761

For further information, please contact

E-mail address sdshelpdesk@valspareurope.com

1.4. Emergency telephone number

Emergency Telephone Number 1-300-954-120

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flammable liquids Category 2 - (H225)

Classification according to 67/548/EEC

Full text of R-phrases: see section 16

<u>Hazard symbols</u> F - Highly flammable

2.2. Label Elements



Signal word

DANGER

HAZARD STATEMENTS

H225 - Highly flammable liquid and vapour

PRECAUTIONARY STATEMENTS - EU (§28, 1272/2008)

P370 + P378 - In case of fire: Use dry sodium carbonate to extinguish P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Labelling (67/548/EEC or 1999/45/EC)



Hazard symbols

F - Highly flammable

R-phrases

R11 - Highly flammable

S phrases

S9 - Keep container in a well-ventilated place

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

S33 - Take precautionary measures against static discharges

S7 - Keep container tightly closed

2.3. Other Hazards

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

If this section is blank, there are no hazardous components per NOHSC guidelines.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice

Get medical advice/attention if you feel unwell.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin contact

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

Product code 4650AU PAGE 2/8 AUSE - AUSTRALIA GHS SDS

INHALATION

IF INHALED: Call a POISON CENTRE or doctor if you feel unwell.

INGESTION

Do NOT induce vomiting. IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Dry chemical, CO2, water spray or alcohol-resistant foam.

Not to be used for safety reasons: Strong water jet

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke. Fire may produce irritating and/or toxic gases. In the event of fire and/or explosion do not breathe fumes.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Cool containers with flooding quantities of water until well after fire is out. Do not allow run-off from fire-fighting to enter drains or water courses.

HAZCHEM Code: None Allocated

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

Avoid breathing vapours or mists. Remove all sources of ignition. Use personal protective equipment as required. Evacuate personnel to safe areas. Take precautionary measures against static discharges.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Do not allow into any sewer, on the ground or into any body of water. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Methods for Containment

Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up

Dispose of waste product or used containers according to local regulations. Clean with detergents. Avoid solvent cleaners. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Pick up and transfer to properly labelled containers.

6.4. Reference to other sections

See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

Prevent the creation of flammable or explosive concentrations of vapor in air and avoid vapor concentration higher than the occupational exposure limits. Operators should wear anti-static footwear and clothing and floors should be of the conducting type. Use personal protection recommended in Section 8. Never use pressure to empty container. Comply with the health and safety at work laws. Prevent product from entering drains. Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air. Use only in well-ventilated areas. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment. All equipment used when handling the product must be grounded.

General hygiene considerations

When using do not eat, drink or smoke.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep/store only in original container. Store in accordance with local regulations. Keep unauthorised personnel away. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Keep tightly closed in a dry and cool place.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

8.2. Exposure controls

Engineering controls

Ensure adequate ventilation, especially in confined areas. Provide local exhaust ventilation. In case of insufficient ventilation, wear suitable respiratory equipment.

Personal Protective Equipment

Eye/Face Protection

Wear safety glasses with side shields (or goggles).

Skin and Body Protection

Wear anti-static clothing made of natural fibre or of high temperature resistant synthetic fibre.

Hand protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed. Gloves should be replaced regularly and if there is any sign of damage to the glove material. Always ensure that gloves are free from defects and that they are stored and used correctly. The performance or effectiveness of the glove may be reduced by physical / chemical damage and poor maintenance.

Respiratory Protection

In case of inadequate ventilation wear respiratory protection.

Thermal Protection

No information available

Environmental exposure controls

Do not allow into any sewer, on the ground or into any body of water

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Liquid

Appearance No information available

Odour Slight Colour Brown

Odour threshold
PH
No information available
79 °C / 174 °F

Method

Flash Point

Evaporation Rate No information available Flammability (solid, gas) No information available

15 °C / 59 °F

Flammability limit in air

Upper flammability limit:
Lower flammability limit:
Vapour pressure
Vapour Density

No information available
No information available
No information available
No information available

Specific gravity

Solubility(ies) No information available **Partition coefficient** No information available **Autoignition Temperature** No information available No information available **Decomposition temperature** Kinematic viscosity No information available **Dvnamic viscosity** No information available **Explosive Properties** No information available **Oxidising Properties** No information available

9.2. Other information

Molecular Weight No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation

None under normal processing.

Possibility of hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Heat, flames and sparks.

10.5. Incompatible materials

Strong oxidising agents.

10.6. Hazardous decomposition products

Product code 4650AU
PAGE 5/8
AUSE - AUSTRALIA GHS SDS

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Information on Likely Routes of Exposure

Eye Contact

Not applicable

Skin contact

Not applicable

INGESTION

Not applicable

INHALATION

Not applicable

Numerical Measures of Toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

UNKNOWN ACUTE TOXICITY 0% of the mixture consists of ingredient(s) of unknown toxicity.

Numerical Measures of Toxicity - Component Information

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin Corrosion/Irritation Not applicable Serious eye damage/eye irritation Not applicable Not applicable Skin Sensitisation **Respiratory Sensitisation** Not applicable Not applicable **Germ Cell Mutagenicity** Carcinogenicity Not applicable Not applicable Reproductive toxicity Specific target organ toxicity (single Not applicable

exposure)

Specific target organ toxicity

(repeated exposure)

Aspiration Hazard

Not applicable

Not applicable

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Environmental Precautions Prevent product from entering drains.

12.2. Persistence and degradability

No information available

12.3. Bioaccumulative potential

No information available

12.4. Mobility in soil

No information available

Product code 4650AU **PAGE 6/8 AUSE - AUSTRALIA GHS SDS**

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused

Products

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Improper disposal or reuse of this container may be dangerous and illegal. S16 - Keep **Contaminated Packaging**

away from sources of ignition - No smoking.

Section 14: TRANSPORT INFORMATION

IMDG

NOT REGULATED

ADG NOT REGULATED **IATA**

NOT REGULATED

14.2 Proper Shipping Name

14.3 Hazard class

14.1 UN/ID no

14.4 Packing group

14.5 Environmental hazard Not applicable

14.6 Special Provisions

14.7 Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC CODE

No information available

HAZCHEM Code: None Allocated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations

Australia

See section 8 for national exposure control parameters

International Inventories

AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

All components are listed or exempt from listing All components are listed or exempt from listing

15.2. Chemical safety assessment

No information available

Section 16: OTHER INFORMATION

Supplier Address

The Wattyl Group National Office Level 4, 2 Burbank Place, Norwest **Business Park** PO Box 5001

Baulkham Hills, New South Wales 2153

02 8867 3333

Guardsman Australia Pty Ltd Unit 2 / 3 Gibbes Street

Wattyl State Office 560 Churchill Road Chatswood, New South Wales 2067 Kilburn, South Australia 5084 61 2 8484 5200 08 8368 1200

Wattyl State Office 2-44 Graingers Road West Footscray, Victoria 3012 03 9688 1111

Product Stewardship Prepared by

Revision Date 14-Jul-2015

Revision note Not applicable.

> Product code 4650AU **PAGE 7/8 AUSE - AUSTRALIA GHS SDS**

Disclaimer

The information on this Safety Data Sheet (SDS) is based on the present state of our knowledge, current national legislation and guidelines. As the specific conditions of use of the product are outside the supplier's knowledge and control the user is responsible for ensuring that the requirements of relevant legislation are complied with. This SDS should not be construed as any guarantee of the technical performance or suitability for particular applications. UNLESS SUPPLIER AGREES OTHERWISE IN WRITING, SUPPLIER MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. SUPPLIER WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.

End of Safety Data Sheet